

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Section #
BOX 520.

Application of:

Kranz, et al.

: Group Art Unit: 1645


Serial No.: 09/731,242

: Examiner: not assigned

Confirmation No.: 8588

Filed: December 6, 2000

For: HIGH AFFINITY TCR PROTEINS AND
METHODS



RESPONSE TO NOTICE TO FILE MISSING PARTS

Assistant Commissioner for Patents
Washington, DC 20231

Sir:

In response to the Notice to File Missing Parts of Nonprovisional Application mailed
March 13, 2001, Applicants submit the following:

- Check in the amount of **\$1,552** (\$710 filing fee; \$72 for 4 claims over 20; \$640 for 8 independent claims over 3; and \$130 declaration surcharge);
- Copy of Formalities Letter (Notice to File Missing Parts);
- Executed Joint Inventors' Declaration for Patent Application and Power of Attorney;
- Computer-readable disk with replacement sequence listing;
- Paper copy of replacement sequence listing; and
- Statement regarding sequence listing.

Applicant does not claim small entity status: the fee submitted is for a large entity.

The Notice to File Missing Parts indicates errors in the computer readable form of the sequence listing were indicated on a marked-up "Raw Sequence Listing" that should have been enclosed with the


Notice to File Missing Parts. Applicants have received no marked-up "Raw Sequence Listing" with the Notice to File Missing Parts or with any other correspondence from the Patent and Trademark Office.

Applicants' representatives have made numerous attempts to obtain a copy of the marked-up "Raw Sequence Listing" to no avail. To further prosecution, Applicants processed the sequence listing originally filed with the Checker software. The replacement sequence listing includes fields <220> through <223> which did not appear on the original sequence listing. No new matter is added and the changes are supported by the specification as filed. In addition, the Prior Application section <150> and <151> have been amended to reflect the continuing data as claimed by applicants. The replacement sequence listing was processed with the Checker software and no errors were found.

If the replacement sequence listing is defective, a marked-up "Raw Sequence Listing" or some indication of the errors is required to be sent to the undersigned for rectification.

If the enclosed amount is incorrect, please charge any deficiency or credit any overpayment to Deposit Account No. 07-1969.

Respectfully submitted,



Susan K. Doughty
Reg. No. 43,595

GREENLEE, WINNER AND SULLIVAN, P.C.

5370 Manhattan Circle, Suite 201
Boulder, CO 80303
Telephone: (303) 499-8080
Facsimile: (303) 499-8089
E-mail: winner@greenwin.com

Attorney Docket No.: 89-99
nnr:5/9/01